

33. (amended) A computer storage medium comprising computer executable instructions for performing [the method of claim 31] a method for providing on demand remote control of an application, comprising the steps of:

receiving a demand from a first computer indicating that a user at the first computer desires remote control over an application at a second computer;

in response to the demand, transmitting to the first computer a remote control module over a network, and

the remote control module configured to execute on the first computer to enable input-output communications allowing the first computer to remotely control the application at the second computer system without pre-installing remote control software at the first computer prior to receiving the remote control module.

38. (amended) A computer storage medium comprising computer executable instructions for performing [the method of claim 36] a method for providing on demand remote control of an application, comprising the steps of:

receiving a demand from a first computer indicating that a user at the first computer desires remote control over an application at a second computer;

in response to the demand, transmitting to the first computer a remote control module over a network, and

the remote control module configured to execute on the first computer to enable input-output communications allowing the first computer to remotely control the application at the second computer system without pre-installing remote control software at the first computer prior to receiving the remote control module.

43. (amended) A computer storage medium comprising computer executable instructions for performing [the method of claim 41] a method for providing on demand remote control of an application, comprising the steps of:

receiving a request from a first computer for remote control of an application at a second computer;

in response to the request, transmitting a remote control module to the first computer operable for enabling input-output communications allowing the first computer

to remotely control the application at the second computer system without pre-installing remote control software at the first computer prior to receiving the remote control module;

executing the remote control module at the first computer; and  
establishing a communication during which the first computer remotely controls the application running on the second computer.

80. (new) A method for providing on demand remote control of an application, comprising the steps of:

receiving a demand that a user at a first computer desires remote control over an application at a second computer;

in response to the demand, automatically transmitting a remote control module to the first computer over a network, and

the remote control module enabling input-output communications allowing the first computer to remotely control the application at the second computer system without pre-installing remote control software at the first computer prior to receiving the remote control module.

81. (new) The method of claim 80, further comprising: in response to the demand, electronically determining that a first computer requires the remote control module in order to remotely control the application at the second computer.

82. (new) A method for providing on demand remote control of an application, comprising the steps of:

receiving a demand from a first computer indicating that a user at the first computer desires remote control over an application at a second computer;

in response to the demand, automatically transmitting to the first computer a remote control module over a network, and

the remote control module configured to execute on the first computer to enable input-output communications allowing the first computer to remotely control the

*application at the second computer system without pre-installing remote control software at the first computer prior to receiving the remote control module.*

*83. (new) The method of claim 82, further comprising: in response to the demand, electronically determining that a first computer requires the remote control module in order to remotely control the application at the second computer.*